

Supporting Veterans with Dementia and Caregivers During the Era of COVID-19

November 18, 2020

Marcela C. Otero, Ph.D.

Advanced Psychology Fellow, VISN 21 MIRECC^{1,2}

Kaci Fairchild, Ph.D., ABPP

Associate Director, VISN 21 MIRECC^{1,2} VA Palo Alto Health Care System¹ Stanford University School of Medicine²





Disclaimer

 Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government, and shall not be used for advertising or product endorsement purposes

Overview


- Description of COVID-19 in older Veterans with dementia
- Obstacles to stress management due to COVID-19
- Unique challenges for older Veterans living with dementia and their caregivers
- VA-based resources

Community-based resources

 How often do you work with older Veterans living with dementia and their caregivers in your current setting?

- □Not at all / Never
- ■Some of the time
- ☐ Most of the time
- ☐ Nearly all of the time

COVID-19 Prevalence



Vulnerability Factors

- Chronic medical conditions
- Mental illness, SUD
- Racial / ethnic disparities
- Cognitive impairment
- Homelessness
- Low SES
- Caregiving needs
- Restricted social support and community resources








Vulnerability Factors

Underlying conditions among adults hospitalized with COVID-19



Note: Based on data from the COVID-19—Associated Hospitalization Surveillance Network for patients hospitalized in 99 counties in 14 states from March 1-30, 2020.

Source: MMWR. 2020 Apr 8:69(early release):1-7

Case Example: Mr. G

82 year old Veteran who has been diagnosed with Alzheimer's disease (mild/early stage). Lives in the community with spousal caregiver. Mrs. G phones and informs Veteran's primary care provider that he fell in the bathroom 3 days ago, is more confused, and has been spending a lot of time in bed sleeping. Today, he developed a cough and a fever of 100.0 F.

COVID-19 Symptoms

SYMPTOMS OF CORONAVIRUS (COVID-19)

Know the symptoms of COVID-19, which can include the following:



or smell

or difficulty breathing

Delirium³⁻⁵


Changes in consciousness

Impaired attention

Sleep/wake cycle disturbance

Hallucinations

Emotional disturbance



- Difficulty communicating symptoms to caregiver⁵
- Potential signs include changes in the following^{6,7}:
 - Cognition
 - increased confusion, slower processing speed
 - Behavior
 - Anxiety, agitation, aggression
 - Apathy, depression, increased sleep, fatigue
 - Function
 - Decline from baseline

 To what extent has COVID-19 impacted the mental health of your patients with dementia and their caregivers? Mental health over the past few months is:

- ■Much worse
- ☐Some worse
- ■No change
- □Some better
- □Much better

Stress Management


- COVID-related stress is unique
 - Pervasive; stress surrounding uncertainty
 - Can bring on stressful acute life events and exacerbate chronic stressors



Stress Management

- Major obstacles for Veterans with dementia and caregivers
 - Limited access to social support
 - Reduced opportunity for behavioral activation
 - Restricted access to usual care resources
- Disruption of daily routines and structure

Veterans with Dementia



Behavior

- Boredom
- Loneliness
- Anxiety
- Agitation
- Irritability

Cognition

- Confusion
- Disorientation

Sleep

- Sleep difficulty
- Daytime napping

Coping Skills


- Increasing / maintaining routine
- Menus of pleasant activities⁸
- Scheduling appropriate behavioral activation
 - Digital behavioral activation (e.g., podcasts, online videos & music)
- Hygiene reminders



 How confident do you feel in recommending COVID-19 specific resources for Veterans with dementia and their caregivers?

- □ Not at all confident
- ☐ A little confident
- ■Somewhat confident
- □Very confident

VA Resources












- VA Mobile Apps for Mental Health
 - VA mental health selfmanagement mobile applications (apps) teach evidenced-based skills
 - Older adults benefit from these approaches⁹⁻¹²
 - Veterans with dementia need more assistance

Slide content courtesy of Christine Gould, PhD, ABPP

Older adults' barriers to using mobile apps



Slide content courtesy of Christine Gould, PhD, ABPP

Caregiver/Patient Education Handouts

VA Sharepoint: Tech into Care Sharepoint¹³


Link to request materials: https://www.surveymonkey.com/r/Geri-mobile



How to Download Mobile Apps



Step-by-Step Guides for PTSD Coach* and Mindfulness Coach




Mobile Device Information
Slide content courtesy of Christine Gould, PhD, ABPP

Community Resources

- Veterans with dementia
 - Alzheimer's Association Online Tools
 - https://www.alz.org/help-support/resources/online-tools
 - Administration for Community Living
 - https://acl.gov/COVID-19
 - State resources
 - Ex. Dementia Alliance of North Carolina¹⁴
 - Virtual Tours Links
 - Activity Box Kits
 - Minders¹⁵: Indoor activity ideas for older adults with dementia
 - Coloring pages

Potential Impact of COVID-19 on Caregivers of Veterans with Dementia



Supporting Caregivers of Veterans with Dementia

- Assess and address issues related to caring in COVID
 - Psychoeducation re: COVID in persons with dementia
 - Develop COVID Preparedness Plan
 - Expand current support systems
 - Set realistic expectations
- Reach out to the caregiver, don't wait for them to reach out to you

Supporting Caregivers of Veterans with Dementia

Identify alternate caregiver and potential alternate LAR

Compile a list of Veteran's care needs, wants, and preferences

COVID

Preparedness Plan

Develop quarantine plan

Update advance health care directives

VA Resources

- Caregivers
 - Program of General Caregiver Support Services
 - Virtual support groups
 - Caregiver Support Program Peer Support Mentoring Program
 - VHA Office of Rural Health
 - https://www.ruralhealth.va.gov/vets/resources.asp#dem
 - Elizabeth Dole Foundation
 - Hidden Heroes
 - https://hiddenheroes.org/coronavirus/
 - Caregiver Action Network
 - https://hiddenheroes.org/resource/caregiver-action-network/



Community Resources

- Caregivers
 - Gerocentral
 - https://gerocentral.org/clinical-toolbox/covid-19-resources/
 - Rosalynn Carter Institute for Caregiving
 - https://www.rosalynncarter.org/programs/covid-caregiving/
 - Alzheimer's Association
 - https://www.alz.org/help-support/caregiving/coronavirus-(covid-19)-tips-for-dementia-care
 - Family Caregiver Alliance
 - https://www.caregiver.org/coronavirus-covid-19-resources-and-articles-family-caregivers

References

1. New York Times. (2020). Coronavirus in the U.S.: Latest Maps and Case Count. Retrieved from:

https://www.nytimes.com/interactive/2020/us/coronavirus-us-cases.html?action=click&pgtype=Article&state=default®ion=TOP_BANNER&context=storylines_menu

- 2. Centers for Disease Control and Prevention (CDC). (2020). COVID
- 19 Guidance for Older Adults. Retrieved from:

https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/older-adults.html

- 3. Wang H, Li T, Barbarino P, Gauthir S, Brodaty H, Moliuevo JL, et al. Dementia care during COVID 19. 2020. *The Lancet*, 395 (10231): 1190 1191.
- 4. Marcantonio ER. (2017) Delirium in hospitalized older adults. *New England Journal of Medicine*, 377:1456 66.
- 5. Bianchetti, Rozzini, Guerini, Boffelli, Ranieri, Minelli, Bianchetti and Trabucchi . (2020) Clinical presentation of COVID 19 in

References

- 6. Ward CF, Figiel GS, McDonald WM. (2020). Altered Mental Status as a Novel Initial Clinical Presentation for COVID-19 Infection in the Elderly. *J Am Geriatric Psychiatry*. Retrieved from https://doi.org/10.1016/j.jagp . 2020.05.013
- 7. Centers for Disease Control and Prevention (CDC). (2020). COVID 19 in Racial and Ethnic Minority Groups. Retrieved from https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/racial-ethnic-minorities.html
- 8. Gallagher-Thompson, D., Thompson, L. W., & Rider, K. L. (2005). California older person's pleasant events schedule. *Retrieved September*, *5*, 2007..
- 9. Spek, V., Cuijpers, P. I. M., Nyklícek, I., Riper, H., Keyzer, J., & Pop, V. (2007). Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. *Psychological medicine*, *37*(3), 319-328.
- 10. Lenze, E. J., Hickman, S., Hershey, T., Wendleton, L., Ly, K., Dixon, D., ... & Wetherell, J. L. (2014). Mindfulness-based stress reduction for older adults with worry symptoms and co-occurring cognitive dysfunction. *International journal of geriatric psychiatry*, *29*(10), 991-1000.

References

- 11. Cuijpers, P., Van Straten, A., & Warmerdam, L. (2007). Behavioral activation treatments of depression: A meta-analysis. *Clinical psychology review*, *27*(3), 318-326.
- 12. Wetherell, J. L., Hershey, T., Hickman, S., Tate, S. R., Dixon, D., Bower, E. S., & Lenze, E. J. (2017). Mindfulness-Based Stress Reduction for Older Adults With Stress Disorders and Neurocognitive Difficulties: A Randomized Controlled Trial. *The Journal of clinical psychiatry*, 78(7), e734.

13.

https://dvagov.sharepoint.com/sites/VACOMentalHealth/mobile/Pages/research.aspx

- 14. Dementia Alliance of North Carolina. (2020) Family Resources for Managing Life with Dementia During COVID-19. Retrieved from: https://dementianc.org/family-services-support/covid-19-family-resources/
- 15.Minders. (2020). How to Guide. Retrieved from: https://sites.google.com/view/minders-activities/home.